

L Number	Hits	Search Text	DB	Time stamp
1	0	visual adj message with (replacement or substitute) adj part	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:10
2	2	visual adj message with (replacement or substitute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:28
3	10	audible adj alert adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:30
4	0	audible adj alert adj message with model adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:31
5	0	audible adj alert adj message with model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:31
6	0	audible adj alert with message with model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:31
7	9	audible with message with model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:31
-	3	replaceable adj filter with memory	USPAT	2003/12/09 16:05
-	2	brake adj pad with memory	USPAT	2003/12/03 17:57
-	7	brake adj shoe with memory	USPAT	2003/12/03 18:04
-	12	brake adj (shoe or pad or disk) with memory	USPAT	2003/12/04 18:01
-	33	brake adj (shoe or pad or disk) with storage	USPAT	2003/12/03 18:21
-	27	brake with data adj memory	USPAT	2003/12/03 18:31
-	7	dirty adj filter with pressure adj drop	USPAT	2003/12/03 18:31
-	6	brake adj (shoe or pad or disk) with microprocessor	USPAT	2003/12/03 18:38
-	0	brake adj (shoe or pad or disk) with interated adj (memory or processor or microprocessor)	USPAT	2003/12/03 18:39
-	0	brake adj (shoe or pad or disk) with integrated adj (memory or processor or microprocessor)	USPAT	2003/12/03 18:39
-	57	replaceable adj media	USPAT	2003/12/03 18:42
-	4	brake adj (pad or shoe)with wear with memory	USPAT	2003/12/03 18:45
-	11	brake adj (pad or shoe) with filter	USPAT	2003/12/04 18:06
-	0	brake adj (pad or shoe) with data adj storage	USPAT	2003/12/04 11:11
-	30	brake adj (pad or shoe) with storage	USPAT	2003/12/04 17:22
-	65673	(brake adj (pad or shoe) or brake) adj wear with memory or (data adj storage)	USPAT	2003/12/04 11:28

-	5	(brake adj (pad or shoe) or brake) adj wear with (memory or (data adj storage))	USPAT	2003/12/04 12:13
-	945	(brake adj (pad or shoe) or brake) with (RAM or ROM)	USPAT	2003/12/04 17:24
-	307	(brake adj (pad or shoe) or brake) with (ROM)	USPAT	2003/12/04 12:15
-	33	(brake adj (pad or shoe)) with (ROM or RAM)	USPAT	2003/12/04 12:21
-	3	expected adj pressure adj drop with filter	USPAT	2003/12/04 17:40
-	28	filter same brake adj (pad or shoe)	USPAT	2003/12/04 17:50
-	4328	pressure adj (drop or change) with filter	USPAT	2003/12/04 13:01
-	4328	(pressure adj (drop or change)) with filter	USPAT	2003/12/04 13:01
-	166	(pressure adj (drop or change)) with air adj filter	USPAT	2003/12/04 17:42
-	4	filter with replacement adj interval	USPAT	2003/12/04 17:46
-	0	memory near2 fixed adj brake adj pad	USPAT	2003/12/04 15:55
-	1	memory near2 fixed with brake adj pad	USPAT	2003/12/04 17:47
-	93	replaceable adj (medium or media)	USPAT	2003/12/04 16:14
-	10866	filter adj (medium or media)	USPAT	2003/12/04 16:25
-	3	filter adj (medium or media) with memory	USPAT	2003/12/04 17:48
-	20807	filter same memory	USPAT	2003/12/04 16:27
-	1904	filter near2 memory	USPAT	2003/12/04 16:27
-	50	filter near2 data adj memory	USPAT	2003/12/04 17:20
-	0	consumeable adj media	USPAT	2003/12/04 17:20
-	13	consumable adj media	USPAT	2003/12/04 17:20
-	0	consumable adj media with memory	USPAT	2003/12/04 17:20
-	0	consumable adj media same memory	USPAT	2003/12/04 17:20
-	0	replacable adj media	USPAT	2003/12/04 17:21
-	57	replaceable adj media	USPAT	2003/12/04 17:21
-	57	brake adj (pad or shoe) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 17:22
-	27	brake adj (pad or shoe) with storage not (brake adj (pad or shoe) with storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 17:23
-	1667	(brake adj (pad or shoe) or brake) with (RAM or ROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 17:25
-	722	((brake adj (pad or shoe) or brake) with (RAM or ROM)) not ((brake adj (pad or shoe) or brake) with (RAM or ROM))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 17:25

-	5	expected adj pressure adj drop with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:41
-	2	(expected adj pressure adj drop with filter) not (expected adj pressure adj drop with filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:41
-	271	(pressure adj (drop or change)) with air adj filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:42
-	105	((pressure adj (drop or change)) with air adj filter) not ((pressure adj (drop or change)) with air adj filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:42
-	13	filter with replacement adj interval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:46
-	9	(filter with replacement adj interval) not (filter with replacement adj interval)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:46
-	1	memory near2 fixed with brake adj pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:48
-	15	filter adj (medium or media) with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:48
-	12	(filter adj (medium or media) with memory) not (filter adj (medium or media) with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:48
-	56	filter same brake adj (pad or shoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:50
-	28	(filter same brake adj (pad or shoe)) not (filter same brake adj (pad or shoe))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:54
-	90	(consumable or replaceable) with brake adj (pad or shoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:57
-	0	brake adj (pad or shoe) with (fix\$3 or attach\$3 or integral) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:59
-	1	brake adj (pad or shoe) same (fix\$3 or attach\$3 or integral) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:59
-	12	brake adj (shoe or pad or disk) with memory	USPAT	2003/12/04 18:02

-	31	brake adj (shoe or pad or disk) with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:02
-	19	(brake adj (shoe or pad or disk) with memory) not (brake adj (shoe or pad or disk) with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:02
-	7	replaceable adj filter with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:04
-	31	brake adj (pad or shoe) with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:08
-	0	brake adj pad near2 (memory or storage adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:09
-	9	brake adj pad with (memory or storage adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:13
-	155	(replaceable or consumable) adj (media or medium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:14
-	39	(replaceable or consumable) adj (media or medium) with (memory or storage device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:17
-	0	air adj filter adj monitoring with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:18
-	12	dirty adj filter with pressure adj drop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:21
-	425	brake adj (component or element) with (memory or storage adh device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:22
-	1	brake adj (component or element) with ((memory or storage) adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:23
-	356	brake with ((memory or storage) adj device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:41
-	2	brake adj pad adj wear with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:41

-	0	brake adj pad with EPROM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:42
-	0	brake adj pad with PROM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:42
-	0	brake adj pad same EPROM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:42
-	1	brake adj pad same PROM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:43
-	36	brake adj pad near embedded	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:47
-	14	brake adj shoe near embedded	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:48
-	664	347/85.ccls.	USPAT	2003/12/08 17:19
-	664	347/85.ccls.	USPAT	2003/12/08 17:19
-	1589	347/85.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:38
-	7	information adj carrier with brake	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:40
-	590	ink adj (cartridge or container) with (memory or RAM or ROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:40
-	142	ink adj (cartridge or container) with (memory or RAM or ROM) with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:41

-	50	("4467421" "6082854" RE36989 "6234626" "4523296" "4833554" "5289589" "5537379" "5682367" "5761170" "5774440" "5805148" "5841567" "5859825" "5943067" "6017114" "6077423" "6116723" "6171507" "6257717" "6264322" "6312124" "6467888" "6543893" "5233591" "5507478" "5751222" "6050680" "6151039" "6164743" "6299274" "5812156" "6006924" "6019449" "3880757" "4260487" "4263805" "4289615" "4301625" "4304663" "4315822" "4329933" "4331542" "4352739" "4372847" "4431405" "4482367" "4512469" "4575639" "4627863").pn.	USPAT	2003/12/09 11:10
-	3	brake adj wear near2 (memory or ROM or RAM)	USPAT	2003/12/09 11:11
-	4	brake adj wear near2 (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 11:14
-	24	brake adj (pad or drum or shoe or disk or lining) near2 (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 11:17
-	2	(consumable or replaceable) adj (media or medium or part or element or device) with (incorporated or included or integrated) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 11:19

-	4	brake with (incorporated or included or integrated) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:24
-	0	brake adj wear with (incorporated or included or integrated) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:24
-	136	(pad or shoe or disk or drum or lining) with (incorporated or included or integrated) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:31
-	398	(pad or shoe or disk or drum or lining) with (attached or fixed) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:31
-	1	(pad or shoe or disk or drum or lining) with (attached or fixed) adj (memory or ROM or RAM) same brake	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:32
-	38	(attached or fixed) adj (memory or ROM or RAM) same brake	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:34
-	2122	brake with (memory or ROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:35
-	64	brake with (memory or ROM) with (pad or shoe or lining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:09
-	196	95/1,19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:14
-	180	188/1.11;116/268.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:19
-	1585	73/38,121,129.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:33
-	1585	73/38,121,129.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:10
-	2210	701/29,70.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:41
-	336	96/397,421.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:50

-	346	340/454,607.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:03
-	41	340/454,607.ccls. and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:09
-	4	friction adj lining with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:32
-	801	700/80,276,282.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:56
-	53	brake adj (pad or shoe or drum or disk or lining) with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:07
-	1	tire adj wear with air adj filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:08
-	12	(tire or tread) adj wear with (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:10
-	6	(tire or tread) with (fixed or attached or integral) adj (memory or ROM or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:11
-	2	6459969.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:18
-	1	6459969.URPN.	USPAT	2003/12/09 15:11
-	16	("4602127"   "5479479"   "5537343"   "5604441"   "5727202"   "5732074"   "5819227"   "5916286"   "5938721"   "6016476"   "6067290"   "6167255"   "6177905"   "6226739"   "6308120"   "6330499"   "2002/0004694"   "2002/0007225").PN.	USPAT	2003/12/09 15:12
-	1345	(automotive or vehicle) with (consumable or replaceable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:19
-	65	(automotive or vehicle) adj (consumable or replaceable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:22
-	1428	(exchang\$5 or swap\$4) with (consumable or replaceable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:23



-	72	(exchang\$5 or swap\$4) with (consumable or replaceable) with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:23
-	55	controller with program adj transfer	USPAT	2003/12/09 16:09
-	1	printer adj cartridge with memory with program	USPAT	2003/12/09 16:10
-	4	ink adj cartridge with memory with program	USPAT	2003/12/09 16:11
-	0	ink adj cartridge with retrieval with program	USPAT	2003/12/09 16:12
-	0	ink adj cartridge with program adj transfer	USPAT	2003/12/09 16:15
-	10	347/\$.ccls. and program adj transfer	USPAT	2003/12/09 16:17
-	0	microcontroller with controller with program adj transfer	USPAT	2003/12/09 16:17
-	0	plural adj controller with program adj transfer	USPAT	2003/12/09 16:17
-	0	plural adj controller with program adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:17
-	17	347/\$.ccls. and program adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:18
-	0	(print\$3 or ink\$3) adj cartridge with (program adj transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:19
-	4	cartridge with (program adj transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:21
-	0	ink with stored adj (program adj transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:21
-	0	(developing or print\$4 or ink) adj cartridge with stored adj (program or algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:23
-	105	cartridge with stored adj (program or algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:31
-	0	replaceable adj element with program with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:32
-	108	replaceable with program with control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:44
-	3	(replaceable or removable) with program adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:46

-	97	control adj program adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:51
-	0	control adj program adj (upgrade or update) with replaceable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:52
-	0	control adj program adj (upgrade or update) with substitute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:52
-	86	control adj program adj (upgrade or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:57
-	0	replaceable adj assembly with program adj (upgrade or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:58
-	0	replaceable adj (element or device) with program adj (upgrade or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:58
-	6	replaceable adj (element or device or assembly) with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:01
-	1726	micro\$1controller with controller with communicat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:02
-	79	micro\$1controller with controller with communicat\$5 with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:07
-	7	controller adj program adj (upgrad\$4 or updat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:09
-	0	program adj controlled adj program adj (transfer or upgrade or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:09
-	0	program adj controlled with program adj (transfer or upgrade or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:18
-	0	(substitut\$3 or replac\$5) adj (element or device or unit) with (including or incorporating) adj (program or algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:20
-	10	microcontroller with program adj (transfer\$4 or communicat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:27

-	0	ink adj cartridge adj memory with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:27
-	91	cartridge adj memory with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:43
-	0	replaceable with program adj upgrad\$4 with controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:43
-	19	program adj upgrad\$4 with controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 18:34
-	0	expected adj pressure adj drop with memory with HVAC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 18:34
-	1	expected adj pressure adj drop with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 18:40
-	0	stored adj pressure adj drop with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 18:40
-	120	pressure adj drop with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 18:40
-	7	pressure adj drop with memory with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 18:41
-	1723	micro\$1controller with controller with communicat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:10
-	0	micro\$1controller with controller with communicat\$4 with progrma adj initiated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:10
-	0	micro\$1controller with controller with communicat\$4 with program adj initiated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:10
-	79	micro\$1controller with controller with communicat\$4 with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:11
-	35	change adj filter with (notificatioon or indication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:49

-	6	ink adj cartridge with micro\$1controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:51
-	1216	filter with micro\$1controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:51
-	37	filter near micro\$1controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:53
-	12	air adj filter with micro\$1controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:54
-	0	brake adj (pad or shoe or lining) with micro\$1controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 08:57
-	3	software adj upgrade with micro\$1controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:01
-	89	controller with (program or software) adj (upgrade or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:28
-	2	5674381.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:28
-	2	5606311.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:29
-	2	5351035.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:29
-	2	5461368.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:29
-	2	5812156.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:30
-	2	5692586.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:30
-	2	6019449.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 10:30

-	2	5489971.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 10:31
-	2	5848672.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 14:09